<u>"To develop low cost biosimilar Palivizumab"</u> <u>Serum Institute of India Private Limited</u>

Environmental and Health Risk Management Plan

1. Institutional Arrangements

Requirements	Current Status	Mitigation Steps
Institutional Bio-Safety Committee (IBSC)	Institutional Bio-Safety Committee (IBSC) is constituted and meets regularly.	- Institutional Bio-Safety Committee is In place and working
EHS Team	EHS team is deployed at site.	EHS Team is In place and working
Documentation and Record Keeping in reference to the risks mentioned below and quantifiable records of generated waste and compliance measures.	SOPs are available at site. Waste generation record is maintained in line with compliance of the local law requirement. (Form No 10 Manifest for hazardous & other waste & Form 03 monthly report)	The validity and availabity of the document shall me monitored periodically and proactive action taken to mitigate if there is any forseable risks
SOPs related to Environment Compliance e.g Chemical spillage handling, waste segregation etc.	SOPs are available at site. (SOP No 030 0006 Rev 02)	The adherance to SOPs will be ensured by dedicated personal and committee
General Safety and Storage	General safety storage requirements are fulfilled in line with type of risk and requirements to contain the same.	The adherance to SOPs will be ensured by dedicated personal and committee

2. Environmental Impact and risk mitigation

Risks	Project Specific Risk	Potential Impact	Mitigation Steps
Air Pollution	 Briquette Boiler Emissions FO Boiler Emissions DG sets Emissions 	Emissions of dust, SOx and NOx	 Bag filters/Cyclone separator is provided for Boiler to control the dust emission.

recombinant microbes
microbes microbes friendly fuel – i.e. Furnace Oil is replaced with CNG for few boilers to reduce the pollution load (i.e. SOx and NOx.) 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
 Furnace Oil is replaced with CNG for few boilers to reduce the pollution load (i.e. SOx and NOx.) Stacks height provided is as per guidelines. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
replaced with CNG for few boilers to reduce the pollution load (i.e. SOx and NOx.) 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
CNG for few boilers to reduce the pollution load (i.e. SOx and NOx.) 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
 boilers to reduce the pollution load (i.e. SOx and NOx.) 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
 the pollution load (i.e. SOx and NOx.) 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records
 (i.e. SOx and NOx.) 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
 NOx.) 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
 3. Stacks height provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
 provided is as per guidelines. 4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
4. Regular Monitoring of all stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
stacks through MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
MoEF and CC (Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
(Ministry of Environment Forest & Climate Change) approved laboratory and records maintained
Environment Forest & Climate Change) approved laboratory and records maintained
Forest & Climate Change) approved laboratory and records maintained
Change) approved laboratory and records maintained
approved laboratory and records maintained
laboratory and records maintained
records
maintained
Closed operation in
GMP/ GLP facility
with proper AHU and
terminal high-
efficiency particulate
air (HEPA) filter
which is monitored
and maintained on
regular basis
Water Pollution and 1. Process Water pollution 1. Containment is
Waste water treatment washings, provided to waste
Utilities water tanks and
wastewater pit to avoid the
2. Domestic spreading of
Wastewater waste water.
3. Waste water from 2. Provision of
Animal House. Effluent
4. Other treatment plant -
Equalization

				1 0 15 5 5
			3.	tanks followed by Primary, secondary and tertiary treatment system. Minimum 60 % of treated effluent is being recycled in plant and rest of effluent disposed of into local drainage. SOP's (SOP No 030 0011 Rev 06) are in place for monitoring the operations of ETP plant.
Chemical waste	 Off specification chemicals Date expired chemicals Rejected raw materials, solvents and lab chemicals 	Contamination of water or soil and health risk	1.	Segregation, collection of waste as per the Hazardous waste Rule 2016. Disposal of chemical waste through Common Hazardous Waste Treatment storage Disposal facility. (CHWTSDF) – Approved by statutory authority).
Biological Waste	All types microbiological wastes, OHC wastes Escape of recombinant microbes	Health risk Escape of recombinant microbes to environment	1.	Segregation, collection, secured storage of Biological waste as per the Bio-medical waste management Rule 2016. Bio-Medical waste Incinerator plant provided as

			 per the CPCB guidelines for the treatment of waste. 3. Incinerator ash is disposed of to CHWTSDF. 4. SOP (SOP No 030 0004 Rev 03) is in place for operation of Incinerator plant. All biological waste is decontaminated by autoclaving before discharge to Effluent Treatment Plant (ETP). We follow the safety guideline of DBT / RCGM in dealing with recombinant microbes.
Heavy metals	minimal risk	project implementation does not create adverse heavy metals	project implementation does not create adverse heavy metals
Radiation Waste	minimal risk	project implementation does not create adverse Radiation Waste	project implementation does not create adverse Radiation Waste
Electronic Waste	minimal risk	project implementation does not create adverse Electronic Waste	project implementation does not create adverse Electronic Waste
Hazardous and C&D Waste	1. ETP Sludge	Contamination of water or soil	Hazardous waste is disposed through Common Hazardous

	 Waste oil Incinerator ash 		WasteTreatmentStorageDisposalFacility(CHWTSDF).
Destruction/alteration of surrounding ecosystem	Specific Project implementation aspects will not cause any adverse ecological effects Escape of recombinant microbes	Escape of recombinant microbes t environment	f All Lab practices will be as per standards We operate in a closed system GLP/GMP facility. Our product is small volume parenteral. We discharge waste generated after proper treatment through our well established effluent treatment plant and do not allow it to go to surrounding environment. So our operation does not destroy or alter the surrounding ecosystem

3. Occupational Health and Safety and risk mitigation

Risks	Project Specifi	e Potential	Mitigation Steps
	Risk	Impact	
Heat Hazards	Burns	Injuries	 Insulation is provided to hot surfaces to avoid the contact. Personal Protective Equipment/s are provided to those employees who

			are working in such environment. 3. Precautionary Signage's are displayed.
Chemical hazards.	Fire	Iniuries.	1. Trained persons
including fire and	1.1.0	property loss	are available in
avplosions		property loss	each shift to tackle
explosions	т [.]		the emergency
	loxic process		2 Fire hydrant
	chemicals	Soil and Ground	system is
		water	provided to
		contamination	extinguish the
			fire
			3 Fire detection and
			Alarm system is
			provided for early
			detection of fire.
			4. Public Address
			system is
			provided for
			communication in
			during
			emergency
			5 Fire extinguishers
			are provided to
			extinguish the
			fire
			6 Fire tender is
			0. Pire tender is
			available to
			fire
			The company has
			7. The company has
			Effluent
			Elliueni Trestrusent Diset
			(ETD) to treat the
			(EIP) to treat the
			chemical waste as
			per environmental
			salety norms of
			muia.
Pathogenic and biological	Exposure to	Health Risk	1. Bio safety
hazards	Pathogens		cabinets provided
			to avoid the
			exposure.

	Escape of recombinant microbes	Escape of recombinant microbes to environment	 Controlled working environment with HEPA filter to avoid the contamination and usage of disinfectants. Immunization of concerned personnel to avoid the health risk. Access control system is provided to avoid unauthorised entry. All biological waste is decontaminated by autoclaving before discharge to ETP. We follow the safety guideline of DBT / RCGM in dealing with recombinant
Radiological hazards	minimal risk	project implementation does not create any radiological hazards	project implementation does not create any radiological hazards
Electronic Waste	minimal risk	project implementation does not create any Electronic Waste	project implementation does not create any Electronic Waste
Hazardous and C&D Waste	 ETP Sludge Waste oil Incinerator ash 	Contamination of water or soil	1. Hazardous waste is disposed through Common Hazardous Waste Treatment Storage Disposal

			Facility (CHWTSDE)
Noise	High poise	Hearing loss	(CHWISDE).
TVOISC	ingii noise	Treating 1055	enclosures
			silencers are
			provided to high
			noise equipment
			to control the
			noise within
			permissible limit.
			2. PPE's like Ear
			plugs/muffs
			provided to
			worker to avoid
			the high noise
			exposure.
			3. Audiometric
			testing of
			employees during
			annual medical
			check-up to
			observe the noise
			impact on health.
			4. Regular Noise
			Monitoring
			through MoEF
			and CC approved
			laboratory to
			check the noise
			level.
			5. Equipment
			Maintenance
			schedule is in
			place to avoid the
Process safety	Engineering and	Health Risk	Process risk
1 100055 Saloty	Equipment		accessment and
	maintananaa shall ha		assessment and
	undertaken an an		are provided to evolutions
	sop _a		are provided to avoid
	SOPS		the impact on health
			of employees.
			Personal protective
			equipments are in use

and o	peration is	in
closed	l system	
	5	

4. Community Health and Safety and risk mitigation

Risks	Project Specific	Potential	Mitigation Steps
	Risk	Impact	
Safety Transportation Management System (for transport of hazardous material)	Fuels, lab chemicals and reagents, raw materials Accidental spillage harvest / material contains recombinant microbes (GMOs)	Spills Escape of recombinant microbes to environment	Transportation of hazardous waste is done only by RTA approved vehicles. All biological waste are decontaminated by autoclaving before discharge to ETP.
Emergency preparedness and participation of local authorities and potentially affected communities	Low hazard facility Accidental spillage harvest / material contains recombinant microbes (GMOs) Fire/explosion	Low hazard facility Infection to immune compromised people comes in contact of recombinant microbes	 Onsite emergency plan in place to tackle the emergency situation. Regular mock drills are conducted to check the employee's response and preparedness during the emergency.
		Casualties	We follow the safety guideline of DBT / RCGM in dealing with recombinant microbes We operate in a closed system GLP/GMP facility. All biological and hazardous wastes are decontaminated by

	a	utoclaving	g before
	d	discharge to ETP.	
		υ	
	V	Ne hav	ve well
	e	stablished	fire
	fi	ighting	system,
	a	larms.	emergency
	S	vstem.	Our
	e	employees	are gone
		1 1	ure gome
	th	hrough c	ompulsory
	fi	ire f	rightening
	tr	raining	
		U	

In case your organization already has **EHS guideline**, please summarise the same. Also, share details of the **EHS Officer**/ **Contact Person** of the organization. If not, please describe the impact because of hazardous material, release of chemicals, biologicals, management of catastrophic events like fire/explosion.